1	Substance/Product Identification		
	Red Line Synthetic Oil		
	Corporation		
	6100 Egret Court		
	Benicia, CA 94510		
	USA Tel: (707) 745-6100		
Product Trade Name	Red Line Gear Oils, 75W85, 75W90, 75W90NS, 75W140, 75W140NS,		
	80W140, SuperLight		
CAS Number	Not applicable for mixtures. None.		
Synonyms			
Generic Chemical Name	e Mixture.		
Recommended Use	nended Use Not determined.		
estrictions on use Not determined.			
reparation/Revision Date 20 February 2013			
Transportation Emergency Phone			
No.			
2	Hazards Identification		

Appearance	Light colored liquid.
Odor	Mild
Classification	Not determined.
Target Organs	Not determined.
Signal Word	Not determined.
Hazard statement	Not determined.
Other Hazards	None identified.

See Section 11 for complete health hazard information.

	3	3	Composition/Information on Ingredients
--	---	---	--

Hazardous Ingredients

Comp	CAS No.	Percentage (by wt.)	Carcinogen
Olefin sulfide	Confidential.	From 1 to 4.9 percent	N/E
Phosphoric acid esters/amine salt	Confidential.	From 1 to 4.9 percent	N/E

4	First Aid Measures		
Eyes	Elush with water at least 20 minutes. Get medical attention if ave irritation develops or persists		
•	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.		
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.		
Inhalation	Remove exposed person to fresh air if adverse effects are observed.		
ingestion DO NOT INDUCE VOMITING. Get immediate medical attention.			
Advice for the protection of first-aid When providing first aid always protect yourself against exposure to chemicals or blood born diseases by wearing a masks and eye protection. After providing first aid wash your exposed skin with soap and water.			
Additional Information	ditional Information Note to physician: Treat symptomatically.		
5	Fire Fighting Measures		
Flash Point	>= 165 °C, 329 °F COC (Minimum)		
Extinguishing Media CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.			
Unsuitable Extinguishing Media Not determined.			
Firefighting Procedures Recommend wearing self-contained breathing apparatus. Treat as an oil fire. Water may cause splattering.			
Firefighting Procedures	Recommend wearing self-contained breathing apparatus. Treat as an oil fire. Water may cause splattering.		

Accidental Release Measures

Personal precaution, protective equipment and emergency procedures	Personal protective equipment must be worn. Ventilate area if spilled in a confined space or other poorly ventilated area.		
Environmental precaution and protective procedures.	Prevent entry into sewers and waterways.		
Methods for clean-up and removal	Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.		
7 Handling and Storage			
Pumping Temperature	Not determined.		
Maximum Handling Temperature	70 °C, 158 °F		
Handling Procedures	Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.		
Maximum Storage Temperature	45 °C, 113 °F		
Maximum Storage Temperature 45 °C, 113 °F Storage Procedures Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used. See sectincompatible materials.			
Maximum Loading Temperature	70 °C, 158 °F		
8	Exposure Controls/Personal Protection		
Exposure Limits			
	EU		
	Not applicable.		
	UK		
	Not applicable.		
Other Exposure Limits	Contains hydrocarbon oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.		
Engineering Controls	Use with adequate ventilation.		
Personal Protective Equipment			
Respiratory Protection	Use respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.		
Eye Protection	Safety Glasses.		
Gloves Procedures	Nitrile.		
Clothing Recommendation Long sleeve shirt is recommended. Launder contaminated clothing before reuse.			
Hygiene Measures	Wash thoroughly after handling this product.		
9	Physical and Chemical Properties		
Flash Point	>= 165 °C, 329 °F COC (Minimum)		
Upper Flammable Limit	Not determined.		
Lower Flammable Limit	Not determined.		
Autoignition Point	354 °C, 669.2 °F		
Decomposition Temperature	Not determined.		
Explosion Data	Material does not have explosive properties.		
Vapor Pressure	Not determined.		
pH	Not determined.		
Specific Gravity	0.89 (15.6 °C)		
Bulk Density	Not determined.		
Water Solubility	Insoluble.		

Red Line Gear Oils		
Percent Volatile	Not determined.	
Volatile Organic Compound	Not determined.	
Vapor Density	Not determined.	
Evaporation Rate	Not determined.	
Water/Octanol Coefficient	Not determined.	
Odor	Mild	
Odor Threshold	Not determined.	
Appearance	Light colored liquid.	
Viscosity	25-250 cSt (40 °C)	
	5-30 cSt (100 °C)	
Boiling Point	Not determined.	
Boiling Point Range	Not determined.	
Pour Point Temperature	-40 °C, -40 °F	
Melting / Freezing Point	Not determined.	

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10	stability and Reactivity	
Stability	Material is normally stable at room temperature and pressure. See the Handling and Storage Section for further details.	
Decomposition Temperature	Not determined.	
Incompatibility	Oxidizing agents.	
Polymerization	Will not occur.	
Thermal Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide alkyl mercaptans and sulfides may also be released. Under combustion conditions, oxides of the following elements will formed: sulfur.	
Conditions to Avoid	Not determined.	
11	Toxicological Information	

- ACUTE EXPOSURE --

	- ACUTE EAFOSURE -
Eye Irritation	Not expected to cause eye irritation. Based on data from components or similar materials.
Skin Irritation Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.	
Respiratory Irritation If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes a upper respiratory tract. Based on data from components or similar materials.	
Dermal Toxicity	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
Inhalation Toxicity No data available to indicate product or components may be a toxic inhalation hazard.	
Oral Toxicity The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.	
Dermal Sensitization No data available to indicate product or components may be a skin sensitizer.	
Inhalation Sensitization No data available to indicate product or components may be respiratory sensitizers.	
Aspiration Hazard	Not determined.
	– CHRONIC EXPOSURE –
Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.
	- ADDITIONAL INFORMATION -
Other	No other health hazards known.
12	Ecological Information

-- ENVIRONMENTAL TOXICITY --

Freshwater Fish Toxicity	The acute LC50 is
Freshwater Invertebrates Toxicity	Chronic effects ex
Algal Inhibition	Not determined.

The acute LC50 is 100 - 1000 mg/L based on component data. Chronic effects expected at 10 - 100 mg/L based on component data. Not determined.

Saltwater Fish Toxicity	Not determined.		
Saltwater Invertebrates Toxicity	Not determined.		
Bacteria Toxicity	Not determined. Not determined.		
Miscellaneous Toxicity	Not determined.		
	_]	ENVIRONMENTAL FATE -	
Biodegradation	At least 25% of the compo	nents in this product show limited biodegradation based on OECD 301-type test data.	
Bioaccumulation	1 - 10% of the components	s potentially bioconcentrate, based on octanol/water coefficients.	
Soil Mobility	Not determined.		
Notes	None known.		
13	Disposal Considerations		
D'and Carthertica	All 15	-	
Disposal Considerations	All disposal practices must	be in accordance with local, regional, national and international regulations.	
Contaminated Containers or Packaging	Dispose of packaging or containers in accordance with local, regional, national and international regulations.		
14	Transport Information		
ICLORATA I	Net and let al		
ICAO/IATA I	Not regulated.		
ICAO/IATA II	Not regulated.		
IMDG IMDC EMS Eine	Not regulated.		
IMDG EMS Fire	Not applicable.		
IMDG EMS Spill	Not applicable.		
IMDG MFAG	Not applicable.		
MARPOL Annex II	Not determined.		
SCG Compatibility Not determined. OT NAERG Not applicable.			
DOT NAEKG	Not applicable.		
	Review classification rea	quirements before shipping materials at elevated temperatures.	
15	Regulatory Information		
		Global Chemical Inventories	
USA	All components of this material are on the US TSCA Inventory or are exempt.		
Other TSCA Reg.	None known.		
EU	All components are in compliance with the EC Seventh amendment Directive 92 /32/EEC.		
Japan	All components are in compliance with the Chemical Substances Control Law of Japan.		
Australia	All components are in compliance with chemical notification requirements in Australia.		
New Zealand	All components are in compliance with chemical notification requirements in New Zealand.		
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.		
Switzerland	All components are in com	pliance with the Environmentally Hazardous Substances Ordinance in Switzerland.	
Korea	All components are in compliance in Korea.		
Philippines	All components are in compliance in Rorea. All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).		
China	All components of this product are listed on the Inventory of Existing Chemical Substances in China.		
Taiwan	All components of this product are listed on the Taiwan inventory.		
Miscellaneous Regulatory Information	Not determined.		
	O1	ther U.S. Federal Regulations	
SARA Ext. Haz. Subst.		ain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substance	
SARA Section 313	This product does not conta listed under SARA Section	ain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances a 313.	
SARA 311 Classifications	Acute Hazard	No	
	Chronic Hazard	No	
	Chronic Hazard Fire Hazard	No	

- State Regulations --

Red Line Gear Oils Cal. Prop. 65 This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth defects. Moreover, we do not routinely analyze its products for impurities which may be such chemicals. - Product Registrations -**U.S. Fuel Registration** Not applicable. - Other / International -**Miscellaneous Regulatory** Not determined. Information 16 Other Information Product Safety and Compliance Department (707-745-6100) **Issuing Department** 4 March 2013 **Preparation/Revision Date US NFPA Codes** Health Fire Reactivity Special 1 1 0 N/E **HMIS Codes** Health Reactivity Fire

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.

1

0

0