

# **RED LINE 0W30 MOTOR OIL**



- Formulated to reduce Low Speed Pre-Ignition (LSPI)
- For use where 5W30 is recommended, especially in colder environments
- Better flow at extremely cold temperatures compared to 5W30 and 10W30
- Ester/PAO based, an upgraded base stock compared to other motor oils, provides additional protection against wear and instability at high temps

#### **RECOMMENDED FOR:**

API SP/SN+/SN/SM/SL C

Chrysler MS-13340/MS-6395/

68291576AA

Jaguar Land Rover JST.JLR 03.5006/JST.JLR 03.5007

VW/Audi

**ACEA** C2, A5/B5, A1/B1

Fiat 9.55535-DS1/9.5535-GS1

Mercedes Benz 229.3/229.5/229.52/229.6

502.00/503.00/503.01/506.00/ 506.01

**AC Delco** 88864605

Ford M2C950-A/WSS M2C953-A1

Porsche C30

BMW LL-01 FE, LL-12 FE

**GM** dexos1<sup>®</sup>Gen2, Gen3
dexos is a registered trademark owned by General Motors

RN 0700/0710

#### **TYPICAL PROPERTIES:**

ACEA Service Class	C2, A5/B5, A1/B1
API Service Class	SP/SN+/SN/SM/SL
SAE Viscosity Grade (Motor Oil)	0W30
Vis @ 100°C, cSt	10.8
Vis @ 40°C, cSt	60
Viscosity Index	172
CCS Viscosity, Poise, @ °C	58@-35
Pour Point, °C	-48
Pour Point, °F	-54
NOACK Evaporation Loss,1hr @ 482°F (250°C), %	6
HTHS Vis, cP @150°C, ASTM D4741	3.3

## **PACKAGE SIZES:**

11114 - 0W30 Motor Oil - quart 11115 - 0W30 Motor Oil - 1 gallon 11116 - 0W30 Motor Oil - 5 gallon 11118 - 0W30 Motor Oil - 55 gallon

### ABOUT RED LINE MOTOR OIL

- Full-synthetic ester/PAO formula for passenger cars, light trucks, performance vehicles and marine applications
- Excellent wear protection and friction reduction across a wide range of operating conditions
- High detergency allows extended drain intervals and provides increased cleanliness
- Improved fuel economy and ring seal for more power
- Superior high temperature stability and oxidation resistance improves lubrication of hot metal compared to other synthetics
- High natural viscosity index (VI) provides thicker oil film in bearings and cams
- Less evaporation than other synthetics for improved efficiency and ring seal
- All products are completely compatible with conventional and synthetic motor oils

For health safety information, please refer to the Safety Data Sheet at REDLINEOIL.COM