



# RED LINE 5W50 MOTOR OIL



- Popular for performance engines in high-temperature climates
- Popular for 5.4L Supercharged Ford applications like Shelby GT 500 and Ford GT, Focus RS (WSS-M2C931-B/-C)
- Recommended for use in 2001-2002 Range Rover engines

## RECOMMENDED FOR:

API SN/SM/SL/SJ/CF  
ACEA A3/B3/B4

FORD  
M2C931-B/-C  
(WSS-M2C931-B/-C)

PORSCHE A40  
RANGE ROVER

## TYPICAL PROPERTIES:

ACEA Service Class	A3 B3/B4
API Service Class	SN/SM/SL/CF
SAE Viscosity Grade (Motor Oil)	5W50
Vis @ 100°C	21.0
Vis @ 40°C	130
Viscosity Index	186
CCS Viscosity, Poise, @ °C	60@-30
Pour Point, °C	-45
Pour Point, °F	-49
NOACK Evaporation Loss, 1hr @ 482°F (250°C), %	6
HTHS Vis, cP @150°C, ASTM D4741	5.0

## PACKAGE SIZES:

- 11604 - 5W50 Motor Oil - quart
- 11605 - 5W50 Motor Oil - gallon
- 11607 - 5W50 Motor Oil - 16 gallon
- 11608 - 5W50 Motor Oil - 55 gallon

## ABOUT RED LINE MOTOR OIL

- Full synthetic ester formula for passenger cars, light trucks, performance vehicles and marine applications
- Excellent wear protection and friction reduction across a wide range of operating conditions
- High detergency allows extended drain intervals and provides increased cleanliness
- Improved fuel economy and ring seal for more power
- Superior high temperature stability and oxidation resistance increases lubrication of hot metal compared to other synthetics
- High natural viscosity index (VI) provides thicker oil film in bearings and cams
- Less evaporation than other synthetics for improved efficiency and ring seal
- All products are completely compatible with other conventional and synthetic motor oils

For health safety information, please refer to the [Safety Data Sheet](#) at REDLINEOIL.COM